


LISTING OF CLAIMS

Claim 1 (currently amended): A compound of the formula (I)



wherein:

~~Ar¹ is an aromatic carbocycle~~ chosen from phenyl, naphthyl, tetrahydronaphthyl, indanyl and indenyl, each Ar¹ is optionally substituted with one R¹, and wherein Ar¹ is independently substituted with two R² groups and wherein one R¹ and one R² on adjacent ring atoms optionally form a 5- or 6-membered carbocyclic ~~or heterocyclic~~ ring;

R¹ is halogen, NO₂, NH₂, ~~J-N(R^a)-(CH₂)_m-~~, N(J)₂-(CH₂)_m-, NH₂C(O)-, J-N(R^a)-C(O)-, J-S(O)_m- N(R^a)-, J-N(R^a)-S(O)_m- ~~or heterocycle-(CH₂)_m- wherein the heterocyclic group is optionally substituted by C₁₋₅ alkyl;~~

Q is ~~a N or~~ CR^p;

Y is ~~>CR^pR^v, -CR^p=C(R^v)-, -O-, -N(R^x)- or -S(O)_m;~~

wherein R^a, R^p, R^v, R^x and R^y are each independently hydrogen or C₁₋₅ alkyl;

X is -CH₂-, -N(R^a)-, -O- or -S-;

W is ~~N or~~ CH;

each m is independently 0,1 or 2;

J is ~~chosen from C1-10 alkyl and carbocycle~~ each optionally substituted by R^b ;

R^2 is chosen from C1-6 alkyl, C3-7 cycloalkyl optionally substituted by C1-5 alkyl, C1-4 acyl, aroyl, C1-4 alkoxy, each being optionally partially or fully halogenated, halogen, C1-6 alkoxycarbonyl, carbocyclesulfonyl and $-SO_2-CF_3$;

each R^3 , R^4 and R^5 are independently chosen from hydrogen, C1-6 alkyl and halogen;

R^6 is optionally attached at a position *ortho* or *meta* to the N atom of the indicated ring, and is chosen from

a bond, $-O-$, $-O-(CH_2)_{1-5}-$, $>C(O)-$, $-NH-$, $-C(O)-NH-$, $-S-$, C₁₋₅ alkyl branched or unbranched, C₂₋₅ alkenyl, C₁₋₃ acyl, C₁₋₃ alkyl(OH), ~~heterocycle selected from morpholinyl, piperazinyl, piperidinyl, pyrrolidinyl and tetrahydrofuranyl, heteroaryl selected from pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrrolyl, imidazolyl, pyrazolyl, thienyl, furyl, isoxazolyl, thiazolyl, oxazolyl and isothiazolyl or~~ aryl each alkyl, alkenyl, acyl, ~~heterocycle, heteroaryl~~ and aryl are optionally substituted by one to three hydroxy, oxo, C₁₋₃ alkyl, C₁₋₃ alkoxy, C₁₋₅ alkoxycarbonyl, $-NR_7R_8$ or $NR_7R_8-C(O)-$;

wherein each R_6 is further optionally covalently attached to groups chosen from:

hydrogen, $-NR_7R_8$, C₁₋₃ alkyl, C₃₋₆ cycloalkylC₀₋₂alkyl, hydroxy, C₁₋₃ alkoxy, phenoxy, benzyloxy, arylC₀₋₄ alkyl, ~~heteroaryl C₀₋₄ alkyl and heterocycle C₀₋₄ alkyl, each above listed heterocycle, heteroaryl and~~ aryl group is optionally substituted by one to three hydroxy, oxo, C₁₋₄ alkyl, C₁₋₃ alkoxy, C₁₋₅ alkoxycarbonyl, $NR_7R_8-C(O)-$ or C₁₋₄ acyl;

each R_7 and R_8 are independently hydrogen, phenylC₀₋₃alkyl optionally substituted by halogen, C₁₋₃ alkyl or diC₁₋₅ alkyl amino, or R_7 and R_8 are C₁₋₂ acyl, benzoyl or C₁₋₅ branched or unbranched alkyl optionally substituted by C₁₋₄ alkoxy, hydroxy or mono or diC₁₋₃ alkyl amino;

and

R^b is chosen from hydrogen, C1-5 alkyl, hydroxyC1-5 alkyl, C2-5 alkenyl, C2-5 alkynyl, carbocycle, ~~heterocycle, heteroaryl~~, C1-5 alkoxy, C1-5 alkylthio, amino, C1-5 alkylamino, C1-5 dialkylamino, C1-5 acyl, C1-5 alkoxycarbonyl, C1-5 acyloxy, C1-5 acylamino, each of the aforementioned are optionally partially or fully halogenated, or R^b is chosen from C1-5 alkylsulphonylamino, hydroxy, oxo, halogen, nitro and nitrile;

or the pharmaceutically acceptable salts, acids or isomers thereof.

Claim 2 (currently amended): The compound according to claim 1 and wherein:

Y is ~~O~~, ~~S~~, -NH-, -N(CH₂CH₃)- or -N(CH₃)-;

X is -N(R^a)-, or -O- ;

Q is CH;

~~J is chosen from C1-10 alkyl, aryl or C3-7 cycloalkyl each optionally substituted by R^b ;~~

R_2 is independently chosen from C1-6 alkyl, C3-6 cycloalkyl optionally substituted by C1-3 alkyl, acetyl, aroyl, C1-5 alkoxy, each being optionally partially or fully halogenated, halogen, methoxycarbonyl, phenylsulfonyl and -SO₂-CF₃;

each R^3 , R^4 and R^5 are hydrogen;

R^b is chosen from hydrogen, C1-5 alkyl, C2-5 alkenyl, C2-5 alkynyl, C3-8 cycloalkyl, C0-2 alkyl, aryl, C1-5 alkoxy, C1-5 alkylthio, amino, C1-5 alkylamino, C1-5 dialkylamino, C1-5 acyl, C1-5 alkoxycarbonyl, C1-5 acyloxy, C1-5 acylamino, C1-5 sulphonylamino, hydroxy, halogen, trifluoromethyl, nitro ; and nitrile.

~~or R^b is chosen from; heterocycle chosen from pyrrolidinyl, pyrrolinyl, morpholinyl, thiomorpholinyl, thiomorpholinyl sulfoxide, thiomorpholinyl sulfone, dioxalanyl, piperidinyl, piperazinyl, tetrahydrofuranyl, tetrahydropyranyl, tetrahydrofuranyl, 1,3-~~

~~dioxolanone, 1,3-dioxanone, 1,4-dioxanyl, piperidinonyl, tetrahydropyrimidonyl, pentamethylene-sulfide, pentamethylene-sulfoxide, pentamethylene-sulfone, tetramethylene-sulfide, tetramethylene-sulfoxide and tetramethylene-sulfone and heteroaryl chosen from aziridinyl, thienyl, furanyl, isoxazolyl, oxazolyl, thiazolyl, thiadiazolyl, tetrazolyl, pyrazolyl, pyrrolyl, imidazolyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyranyl, quinoxaliny, indolyl, benzimidazolyl, benzoxazolyl, benzothiazolyl, benzothienyl, quinoliny, quinazolinyl, naphthyridinyl, indazolyl, triazolyl, pyrazolo[3,4-b]pyrimidinyl, purinyl, pyrrolo[2,3-b]pyridinyl, pyrazolo[3,4-b]pyridinyl, tubercidinyl, oxazo[4,5-b]pyridinyl and imidazo[4,5-b]pyridinyl.~~

Claim 3 (currently amended): The compound according to claim 2 and wherein:

Ar^1 is chosen from phenyl, naphthyl, tetrahydronaphthyl, indanyl and indenyl, each Ar^1 is optionally substituted with one R^1 , and independently substituted with two R^2 groups;

Y is ~~O-, S- or~~ -N(CH₃)-;

R^6 is present, and is chosen from a bond, -O-, -O-(CH₂)₁₋₅-, -NH-, -C(O)-NH-, C₁₋₅ alkyl branched or unbranched, C₂₋₅ alkenyl, C₁₋₃ alkyl(OH) ~~heterocycle selected from morpholinyl, piperazinyl, piperidinyl, pyrrolidinyl and tetrahydrofuranyl,~~ or aryl chosen from phenyl and naphthyl, each alkyl, alkenyl ~~heterocycle~~ and aryl are optionally substituted by one to three hydroxy, C₁₋₃ alkyl, C₁₋₃ alkoxy, mono or diC₁₋₃ alkyl amino, amino or C₁₋₅ alkoxycarbonyl;

wherein each R_6 is further optionally covalently attached to groups chosen from: hydrogen, -NR₇R₈, C₁₋₃ alkyl, C₃₋₆ cycloalkylC₀₋₂alkyl, hydroxy, C₁₋₃ alkoxy, phenoxy, benzyloxy, phenylC₀₋₄ alkyl, ~~piperazinylC₀₋₄alkyl, piperidinylC₀₋₄alkyl, pyrrolidinylC₀₋₄alkyl, morpholinylC₀₋₄alkyl, tetrahydrofuranylC₀₋₄alkyl, triazolylC₀₋₄alkyl, imidazolylC₀₋₄alkyl and pyridinylC₀₋₄alkyl,~~ each ~~above-listed heterocycle, heteroaryl and phenyl~~

group is optionally substituted by one to three hydroxy, oxo, C₁₋₄ alkyl, C₁₋₃ alkoxy, C₁₋₅ alkoxycarbonyl, -NR₇R₈, NR₇R₈-C(O)- or C₁₋₄ acyl;

each R₇ and R₈ are independently hydrogen, phenylC₀₋₃alkyl optionally substituted by halogen, C₁₋₃ alkyl or diC₁₋₅ alkyl amino, or R₇ and R₈ are C₁₋₂ acyl, benzoyl or C₁₋₅ branched or unbranched alkyl optionally substituted by C₁₋₄ alkoxy, hydroxy or mono or diC₁₋₃ alkyl amino.

Claim 4 (currently amended): The compound according to claim 3 and wherein:

X is -O- ;

~~Y is N(CH₃);~~

~~J is C1-10 alkyl optionally substituted by R^b;~~

R₂ is independently chosen from C1-6 alkyl, C3-6 cycloalkyl optionally substituted by C1-3 alkyl and C1-5 alkoxy, each being optionally be partially or fully halogenated;

R⁶ is chosen from
a bond, -O-, -O-(CH₂)₁₋₅-, -NH-, -C(O)-NH-, C₁₋₅ alkyl branched or unbranched, C₂₋₅ alkenyl, C₁₋₃ alkyl(OH), ~~heterocycle selected from morpholinyl, piperazinyl, piperidinyl and pyrrolidinyl or~~ and phenyl, each alkyl, alkenyl, ~~heterocycle and~~ phenyl are is optionally substituted by one to three hydroxy, C₁₋₃ alkyl, C₁₋₃ alkoxy, mono or diC₁₋₃ alkyl amino, amino or C₁₋₅ alkoxycarbonyl;

wherein each R₆ is further optionally covalently attached to groups chosen from:

hydrogen, -NR₇R₈, C₁₋₃ alkyl, C₃₋₆ cycloalkylC₀₋₂alkyl, benzyloxy, phenylC₀₋₄ alkyl, ~~piperazinylC₀₋₄alkyl, piperidinylC₀₋₄alkyl, pyrrolidinylC₀₋₄alkyl, morpholinylC₀₋₄alkyl, triazolylC₀₋₄alkyl, imidazolylC₀₋₄alkyl and pyridinylC₀₋₄alkyl~~, each above-listed ~~heterocycle, heteroaryl and~~ phenyl group is optionally substituted by one to three

hydroxy, oxo, C₁₋₄ alkyl, C₁₋₃ alkoxy, C₁₋₅ alkoxycarbonyl, amino, NR₇R₈-C(O)- or C₁₋₄ acyl;


each R₇ and R₈ are independently hydrogen, phenylC₀₋₂alkyl optionally substituted ~~substituted~~ by halogen, C₁₋₃ alkyl or diC₁₋₅ alkyl amino, or R₇ and R₈ are C₁₋₅ branched or unbranched alkyl optionally substituted by C₁₋₄ alkoxy, hydroxy or mono or diC₁₋₃ alkyl amino;

R^b is chosen from hydrogen, C₁₋₅ alkyl, C₃₋₇ cycloalkylC₀₋₂ alkyl, aryl, C₁₋₅ alkoxy, amino, C₁₋₅ alkylamino, C₁₋₃ dialkylamino, C₁₋₃ acyl, C₁₋₅ alkoxycarbonyl, C₁₋₃ acyloxy, C₁₋₃ acylamino, C₁₋₃ sulphonylamino, hydroxy, halogen, trifluoromethyl, nitro, and nitrile;


~~or R^b is chosen from pyrrolidinyl, pyrrolinyl, morpholinyl, thiomorpholinyl, thiomorpholinyl sulfoxide, thiomorpholinyl sulfone, piperidinyl, piperazinyl, piperidinonyl, tetrahydropyrimidonyl, aziridinyl, isoxazolyl, oxazolyl, thiazolyl, thiadiazolyl, tetrazolyl, pyrazolyl, pyrrolyl, imidazolyl, pyridinyl, pyrimidinyl, pyrazinyl and pyridazinyl .~~

Claim 5 (currently amended): The compound according to claim 4 and wherein:

Ar¹ is formula (A) or (B)



or



wherein:

when Ar¹ is formula (A) then:

R^1 is NH_2 , $J-N(R^a)-(CH_2)_m-$, $NH_2C(O)-$, $J-N(R^a)-C(O)-$, $J-S(O)_2-N(R^a)-$, or $J-N(R^a)-S(O)_2-$ or heterocycle $(CH_2)_{1-2}$ wherein the heterocycle is chosen from pyrrolidinyl, morpholinyl and piperazinyl each optionally substituted by C1-4 alkyl,

and

J is C₁₋₅ alkyl optionally substituted by R^b ;

or

when Ar^1 is formula (B) then:

R^1 is hydrogen or halogen;

R_2 is independently chosen from C1-5 alkyl, C3-6 cycloalkyl optionally substituted by C1-3 alkyl and C1-5 alkoxy, each being optionally partially or fully halogenated;

R^6 is chosen from


a bond, -O-, -O-(CH₂)₁₋₅-, -NH-, -C(O)-NH-, C₁₋₅ alkyl branched or unbranched, C₂₋₅ alkenyl, C₁₋₃ alkyl(OH), heterocycle selected from morpholinyl, piperazinyl, piperidinyl and pyrrolidinyl or and phenyl, each alkyl, alkenyl, heterocycle and phenyl are optionally substituted by one to three hydroxy, C₁₋₃ alkyl, C₁₋₃ alkoxy, mono or diC₁₋₃ alkyl amino, amino or C₁₋₅ alkoxycarbonyl;

wherein each R_6 is further optionally covalently attached to groups chosen from:


hydrogen, -NR₇R₈, C₁₋₃ alkyl, C₃₋₆ cycloalkyl, C₀₋₂ alkyl, benzyloxy, phenyl, C₀₋₄ alkyl, piperazinyl, piperazinyl-C₁₋₂ alkyl, piperidinyl, piperidinyl-C₁₋₂ alkyl, pyrrolidinyl, pyrrolidinyl-C₁₋₂ alkyl, morpholinyl, morpholinyl-C₁₋₂ alkyl, triazolyl, triazolyl-C₁₋₂ alkyl, imidazolyl, imidazolyl-C₁₋₂ alkyl, pyridinyl and pyridinyl-C₁₋₂ alkyl, each above-listed heterocycle, heteroaryl and phenyl group is optionally substituted by one to three hydroxy, oxo, C₁₋₄ alkyl, C₁₋₃ alkoxy, C₁₋₅ alkoxycarbonyl, amino, NR₇R₈-C(O)- or C₁₋₄ acyl.

Claim 6 (currently amended): The compound according to claim 5 and wherein:

Ar^1 is formula (A) or (B)



and R^2 is chosen from



when Ar^1 is formula (A) then:

when R^1 is $J-S(O)_2-N(R^a)-$ or $J-N(R^a)-S(O)_2-$ then J is C_{1-3} alkyl;

and

when R^1 is NH_2 , $J-N(R^a)-(CH_2)_m-$, $NH_2C(O)-$, $J-N(R^a)-C(O)-$,

~~or heterocycle $(CH_2)_{1-2}$ wherein the heterocycle is chosen from pyrrolidinyl, morpholinyl, piperazinyl or C1-4alkylpiperazinyl,~~ then

J is C_{1-3} alkyl optionally substituted by R^b .

Claim 7 (currently amended): The compound according to claim 6 and wherein:

R^b is chosen from hydrogen, C_{1-5} alkyl, C_{3-6} cycloalkyl, C_{0-2} alkyl, phenyl, C_{1-5} alkoxy, amino, C_{1-5} alkylamino, C_{1-3} dialkylamino, C_{1-3} acyl, C_{1-5} alkoxycarbonyl, C_{1-3} acyloxy, C_{1-3} acylamino, hydroxyl ; and halogen ;

~~or R^b is chosen from morpholinyl, thiomorpholinyl, thiomorpholinyl sulfoxide, thiomorpholinyl sulfone, piperidinyl, piperidinonyl, pyridinyl, pyrimidinyl, pyrazinyl and pyridazinyl.~~

Claim 8 (currently amended): The compound according to claim 7 and wherein:

R^b is chosen from amino, C1-5 alkylamino, and C1-3 dialkylamino;
~~or R^b is chosen morpholinyl, piperidinyl and pyridinyl.~~

Claim 9 (original): The compound according to claim 6 and wherein:


Ar^1 is formula (A).

Claim 10 (original): The compound according to claim 6 and wherein:

Ar^1 is formula (B).

Claim 11 (original): The compound according to claim 6 and wherein:

Ar^1 is



Claim 12 (currently amended): A compound chosen from:

~~1-Methyl-7-(pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonfylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonfylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Cyclopropylamino-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(4-Methoxy-benzylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethylamino)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(3-Dimethylamino-propylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(3-Dimethylamino-2,2-dimethyl-propylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Dimethylamino-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(6-methyl-2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-pyrrolidin-1-yl-ethylamino)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(piperidin-4-ylamino)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~4-{4-[2-(5-tert-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-1-methyl-1H-indol-7-yloxy]-pyrimidin-2-ylamino}-piperidine-1-carboxylic acid tert-butyl ester~~

~~7-[2-[(2-Dimethylamino-ethyl)-methyl-amino]-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[6-methyl-2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethoxy)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethoxy)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-pyrrolidin-1-yl-ethoxy)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethoxy)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(1-methyl-piperidin-4-yloxy)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethoxy)-6-methyl-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylcarbamoyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid [5-tert-butyl-3-(2-dimethylamino-ethylcarbamoyl)-2-methoxy-phenyl]-amide~~

~~7-[2-(2-Dimethylamino-ethylcarbamoyl)-pyridin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid [5-tert-butyl-3-(2-dimethylamino-ethylcarbamoyl)-2-methoxy-phenyl]-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid [5-tert-butyl-2-methoxy-3-(2-morpholin-4-yl-ethylcarbamoyl)-phenyl]-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-carbamoyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-methylcarbamoyl-phenyl)-amide~~

~~1-Methyl-7-(2-vinyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(1,2-Dihydroxy-ethyl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(morpholin-4-ylamino)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-morpholin-4-ylmethyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-morpholin-4-ylmethyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-ylmethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Dimethylaminomethyl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylcarbamoyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Benzoyloxymethyl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-morpholin-4-ylmethyl-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid [5-tert-butyl-2-methoxy-3-(4-methyl-piperazin-1-ylmethyl)-phenyl]-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-dimethylaminomethyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (3-amino-5-tert-butyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-dibenzylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-methylsulfamoyl-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-[1,3]dioxolan-2-yl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-methylaminomethyl-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-pyrrolidin-1-ylmethyl-phenyl)-amide~~

~~1-Methyl-7-(2-[methyl-(1-methyl-piperidin-4-yl)-amino]-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Hydroxymethyl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

and

~~1-Methyl-7-(2-methylamino-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid [5-tert-butyl-2-methoxy-3-(2-morpholin-4-yl-ethylamino)-phenyl]-amide~~

~~1-Methyl-7-(pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-piperazin-1-yl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid [3-methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenyl]-amide~~

~~1-Methyl-7-[2-(5-methyl-2,5-diaza-bicyclo[2.2.1]hept-2-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2,5-Diaza-bicyclo[2.2.1]hept-2-yl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Methoxy-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(4-tert-Butyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-[2-(4-methyl-piperazin-1-yl)-ethyl]-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-pyrrolidin-1-yl-ethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethyl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-[2-[2-(4-tert-Butyl-piperazin-1-yl)-ethyl]-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(4-tert-Butyl-piperazin-1-ylmethyl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-pyrrolidin-1-ylmethyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2,6-Dimethyl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~
and

~~7-(2-Ethyl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(1,2,3,6-tetrahydro-pyridin-4-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Amino-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-pyrrolidin-1-ylmethyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-piperidin-1-ylmethyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-ylmethyl)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-[(2-dimethylamino-ethyl)-methyl-amino]-methyl}-2-methoxy-phenyl)-amide~~

~~7-(2-[(2-Dimethylamino-ethyl)-methyl-amino]-methyl)-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-carbamoyl-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-((1S,4S)-5-methyl-2,5-diaza-bicyclo[2.2.1]hept-2-yl)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-[1,4]diazepan-1-yl)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-[1,4]Diazepan-1-yl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-piperazin-1-yl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-trideuterio-7-(2-piperazin-1-yl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(Hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-pyridin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-trideuterio-7-[2-(4-methyl-piperazin-1-yl)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid [3-methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenyl]-amide~~

~~7-[2-((S)-3-Dimethylamino-pyrrolidin-1-yl)-pyridin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid [3-methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenyl]-amide~~

~~7-[2-((S)-3-Dimethylamino-pyrrolidin-1-yl)-pyridin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid [3-methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenyl]-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazine-1-carbonyl)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide and~~

~~1-Methyl-7-[2-(piperazine-1-carbonyl)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

or the pharmaceutically acceptable salts, acids or isomers thereof.

Claim 13 (currently amended): A compound chosen from:

~~7-(Pyrimidin-4-yloxy)-benzo[b]thiophene-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(Pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(Pyrimidin-4-yloxy)-benzofuran-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(pyrimidin-4-ylsulfanyl)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(pyrimidin-4-ylamino)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(pyridin-3-yloxy)-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Benzylamino-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-[(pyridin-2-ylmethyl)amino]pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Imidazol-1-yl-ethylamino)pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-[1,2,3]triazol-1-yl-ethylamino)pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(3-Dimethylamino-propylamino)pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid [2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenyl]-amide~~

~~7-[2-[(2-Dimethylamino-ethyl)-methyl-amino]pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (4-chloro-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-[2-(4-Acetyl-piperazin-1-yl)pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (4-chloro-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (2-methoxy-5-trifluoromethoxy-phenyl)-amide~~

~~7-[2-(4-Dimethylamino-piperidin-1-yl)pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(3-Dimethylamino-pyrrolidin-1-yl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(1-methyl-piperidin-4-ylamino)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(1-Acetyl-piperidin-4-ylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethoxy)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-[2-(2-Imidazol-1-yl-ethoxy)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Imidazol-1-yl-ethoxy)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (4-chloro-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-methylcarbamoyl-phenyl)-amide~~

~~7-(2-Amino-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-carbamoyl-2-methoxy-phenyl)-amide~~

~~7-(2-Amino-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid [5-tert-butyl-3-(2-dimethylamino-ethylcarbamoyl)-2-methoxy-phenyl]-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-dimethylaminomethyl-2-methoxy-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-pyrrolidin-1-ylmethyl-phenyl)-amide~~

~~7-[2-(2-Dimethylamino-ethylamino)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-2-methoxy-3-morpholin-4-ylmethyl-phenyl)-amide~~

~~1-Methyl-7-(2-morpholin-4-ylmethyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (4-chloro-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-[2-(3-Dimethylamino-pyrrolidin-1-ylmethyl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-(2-Carbamoyl-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-(2-morpholin-4-ylmethyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid
(2-methoxy-3-morpholin-4-ylmethyl-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid
(2-methoxy-3-morpholin-4-ylmethyl-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-(2-morpholin-4-ylmethyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid
(3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-(1'-tert-Butyl-1',2',3',4',5',6'-hexahydro-[2,4']bipyridinyl-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid
(3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-(2-methylaminomethyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-(2-pyrrolidin-1-ylmethyl-pyridin-4-yloxy)-1H-indole-2-carboxylic acid (2-methoxy-3-morpholin-4-ylmethyl-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid
(3-dimethylaminomethyl-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-(2-pyrrolidin-1-ylmethyl-pyrimidin-4-yloxy)-1H-indole-2-carboxylic acid (2-methoxy-3-pyrrolidin-1-ylmethyl-5-trifluoromethyl-phenyl)-amide~~

~~7-(2-Dimethylaminomethyl-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid
[2-methoxy-3-(4-methyl-piperazin-1-ylmethyl)-5-trifluoromethyl-phenyl]-amide~~

and

~~7-(2-Dimethylaminomethyl-pyridin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid (3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-(2-Dimethylaminomethyl-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid
(3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-ylmethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid
(3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~7-(2-Dimethylaminomethyl-pyrimidin-4-yloxy)-1-methyl-1H-indole-2-carboxylic acid
(3-methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenyl)-amide~~

~~1-Methyl-7-[2-(2-morpholin-4-yl-ethyl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid
[3-methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenyl]-amide~~

~~1-Methyl-7-[2-(1-methyl-piperidin-4-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid
(5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~7-[2-(1-Cyclopropyl-piperidin-4-yl)-pyrimidin-4-yloxy]-1-methyl-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

~~1-Methyl-7-[2-(4-methyl-piperazin-1-yl)-pyrimidin-4-yloxy]-1H-indole-2-carboxylic acid (3-dimethylaminomethyl-2-methoxy-5-trifluoromethyl-phenyl)-amide and~~

~~1-Methyl-7-[2-(1-methyl-pyrrolidin-3-ylamino)-pyridin-4-yloxy]-1H-indole-2-carboxylic acid (5-tert-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-amide~~

or the pharmaceutically acceptable salts, acids or isomers thereof.

Claim 14 (original): A pharmaceutical composition containing a pharmaceutically effective amount of a compound according to claim 1 and one or more pharmaceutically acceptable carriers and/or adjuvants.


Claim 15 (canceled).

Claim 16 (amended): A method of treating a disease or condition chosen from osteoarthritis, atherosclerosis, contact dermatitis, bone resorption diseases, reperfusion injury, asthma, multiple sclerosis, Guillain-Barre syndrome, Crohn's disease, ulcerative colitis, psoriasis, graft versus host disease, systemic lupus erythematosus, insulin-dependent diabetes mellitus, rheumatoid arthritis, toxic shock syndrome, Alzheimer's disease, diabetes, inflammatory bowel diseases, acute and chronic pain, stroke, myocardial infarction alone or following thrombolytic therapy, thermal injury, adult respiratory distress syndrome (ARDS), multiple organ injury secondary to trauma, acute glomerulonephritis, dermatoses with acute inflammatory components, acute purulent meningitis, ~~syndromes associated with hemodialysis, leukopherisis, granulocyte transfusion associated syndromes,~~ necrotizing enterocolitis, restenosis following percutaneous transluminal coronary angioplasty, traumatic arthritis, sepsis ; and chronic obstructive pulmonary disease ~~and congestive heart failure,~~ said method comprising

administering to a patient a pharmaceutically effective amount of a compound according to claim 1.

Claim 17 (canceled).

Claim 18 (original): A process of making a compound of the formula (I):



Ar¹, X, Y, Q, W, R³, R⁴, R⁵, R⁶ and R^y are defined in claim 1;
said process comprising

coupling under suitable conditions an amine bearing Ar¹ carboxylic acid of the formula (III), where P is a protecting group,

removing the protecting group P to provide an intermediate of formula (V) under suitable conditions;

coupling under suitable conditions the intermediate (V) with a halo heterocycle VI (Z = halogen) bearing R⁶ in the presence of a suitable base to provide a compound of the formula (I):

